	Type	Hits	Search Text	DBs
1	IS&R	8	(("4812814") or ("5490048") or ("5746497") or ("5765940") or ("6076950") or ("6149288") or ("6168725") or ("6179644")).PN.	USPAT
2	BRS	8	insulator with reflector with (conductor with lamp)	USPAT; EPO; JP ; DERWENT; IBM_TDB
3	BRS	569	reflector with insulator	USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	60	reflector with (insulator with conductor)	USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	16	(reflector with (insulator with conductor)) and lamp	USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	21651	control adj module	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	2242818	lamp or light or bulb	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	0	(control adj module) and (lamp or light or bulb) and (reflector with mount$4 with insulator)	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	41	(lamp or light or bulb) and (reflector with mount$4 with insulator)	USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	69	reflector with mount$4 with insulator	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	21	((lamp or light or bulb) and (reflector with mount$4 with insulator)) and control	USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	79617	(vehicle or automobile) with (lamp or headlamp or light)	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	22	((vehicle or automobile) with (lamp or headlamp or light)) and (reflector with insulator)	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	3674	((vehicle or automobile) with (lamp or headlamp or light)) and (module or (control adj module))	USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	4	(reflector with insulator) and (((vehicle or automobile) with (lamp or headlamp or light)) and (module or (control adj module)))	USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	186	362/545.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	1692	362/540.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	1670	362/540.ccls. not 362/545.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	3	362/540.ccls. and (reflect$4 and (control adj module))	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	261	362/464.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	920	362/800.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	236	362/800.ccls. and reflector	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	145	362/800.ccls. and reflector and ((module or control) or module)	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	285	362/544.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	37	362/544.ccls. and reflector and ((module or control) or module)	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	26	362/507.ccls. and reflector and ((module or control) or module)	USPAT; EP ; JP ; DERWENT; IBM_TDB
27	BRS	21	362/542.ccls. and reflector and ((module or control) or module)	USPAT; EPO; JPO; DERWENT; IBM_TDB
28	IS&R	6	(("5797672") or ("5388035") or ("5567036") or ("5700080") or ("5580156") or ("5673995")).PN.	USPAT

	Type	Hits	Search Text	DBs
29	IS&R	7	(("5797672") or ("5388035") or ("5567036") or ("5700080") or ("5580156") or ("5673995") or ("6367949")).PN.	USPAT
30	IS&R	8	(("5797672") or ("5388035") or ("5567036") or ("5700080") or ("5580156") or ("5673995") or ("6367949") or ("5490049")).PN.	USPAT
31	BRS	859	((((vehicle or automobile) with (lamp or headlamp or light)) and (module or (control adj module))) and 340/$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	83	(((((vehicle or automobile) with (lamp or headlamp or light)) and (module or (control adj module))) and 340/$.ccls.) and reflector	USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	82	362/468.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	30	362/469.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	164	362/470.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	47	362/471.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	33	362/472.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	372	362/473.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	583	362/478.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	0	362/928.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	294	340/928.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	80704	(vehicle or automobile) with (lamp or headlamp or light)	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	616	340/425.5.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	74	340/457.2.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	94	340/469.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	80764	(vehicle or automobile) with (lamp or headlamp or light)	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	616	340/425.5.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	248	((vehicle or automobile) with (lamp or headlamp or light)) and 340/425.5.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	233	340/457.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	1386	(insulator or circuit near4 board) with reflector	USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	4561319	control or (control adj module) or module	USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	380129	headlamp or lamp	USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	2078752	headlight or light	USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	4561319	control or (control adj module) or module	USPAT; EP ; JPO; DERWENT; IBM_TDB
55	BRS	1386	(insulator or circuit near4 board) with reflector	USPAT; EPO; JP ; DERWENT; IBM_TDB
56	BRS	380129	headlamp or lamp	USPAT; EP ; JPO; DERWENT; IBM_TDB
57	BRS	1386	(insulator or circuit near4 board) with reflector	USPAT; EPO; JP ; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
58	BRS	3801 29	headlamp or lamp	USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	1236 8	headlight	USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	3861 84	(headlamp or lamp) or headlight	USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	4561 319	control or (control adj module) or module	USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	313	((insulator or circuit near4 board) with reflector) and ((headlamp or lamp) or headlight) and (control or (control adj module) or module)	USPAT; EPO; JPO; DERWENT; IBM_TDB
63	IS&R	1	("6069581").PN.	USPAT
64	BRS	24	("2751587" | "2841782" | "3683379" | "3794997" | "3878506" | "3934252" | "4125835" | "4673937" | "4833469" | "5148175" | "5181038" | "5313213" | "5446470" | "5467072" | "5512901" | "5517196" | "5598171" | "5682136" | "5686921" | "5745027" | "5751240" | "5767793" | "5857767" | "5963172").PN.	USPAT
65	BRS	3	5963172.URPN.	USPAT
66	BRS	24	("2751587" | "2841782" | "3683379" | "3794997" | "3878506" | "3934252" | "4125835" | "4673937" | "4833469" | "5148175" | "5181038" | "5313213" | "5446470" | "5467072" | "5512901" | "5517196" | "5598171" | "5682136" | "5686921" | "5745027" | "5751240" | "5767793" | "5857767" | "5963172").PN.	USPAT
67	BRS	24	("2751587" | "2841782" | "3683379" | "3794997" | "3878506" | "3934252" | "4125835" | "4673937" | "4833469" | "5148175" | "5181038" | "5313213" | "5446470" | "5467072" | "5512901" | "5517196" | "5598171" | "5682136" | "5686921" | "5745027" | "5751240" | "5767793" | "5857767" | "5963172").PN.	USPAT
68	BRS	8988 6	light adj emitting adj diode$4	USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	1166 09	printed adj circuit adj board	USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	1	(printed adj circuit adj board) same (foil adj reflect$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	5888	(light adj emitting adj diode$4) and (printed adj circuit adj board)	USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	22	((light adj emitting adj diode$4) and (printed adj circuit adj board)) and (reflect$6 adj face)	USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	0	(printed adj circuit adj board) with (foil adj reflect$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	4	(printed adj circuit adj board) with (reflect$6 adj face)	USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	4	(printed adj circuit adj board) with (metal adj reflect$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	245	((light adj emitting adj diode$4) and (printed adj circuit adj board)) and (reflecting adj (face or surface))	USPAT; EP ; JP ; DERWENT; IBM_TDB
77	BRS	122	(((light adj emitting adj diode$4) and (printed adj circuit adj board)) and (reflecting adj (face or surface))) and (metal or foil)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
78	BRS	77	(((((light adj emitting adj diode$4) and (printed adj circuit adj board)) and (reflecting adj (face or surface))) and (metal or foil)) and plastic	USPAT; EPO; JP ; DERWENT; IBM_TDB
79	BRS	2237	multi near5 (printed adj circuit adj board)	USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	3277 47	(light adj emitting adj diode$4) or LED	USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	7	(((multi near5 (printed adj circuit adj board)) AND ((light adj emitting adj diode$4) or LED)) and (return or (ground adj plane))) and reflect$6	USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	48	((multi near5 (printed adj circuit adj board)) AND ((light adj emitting adj diode$4) or LED)) and (return or (ground adj plane))	USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	137	(multi near5 (printed adj circuit adj board)) AND ((light adj emitting adj diode$4) or LED)	USPAT; EPO; JPO; DERWENT; IBM_TDB
84	IS&R	2	("6124886").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
85	IS&R	2	("6172613").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86	IS&R	2	("6124886").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
87	IS&R	4	(("6400308") or ("6124886")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
88	BRS	133	362/800.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
89	BRS	43	362/545.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
90	BRS	5	340/469.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
91	BRS	15	340/457.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
92	BRS	125	340/425.5.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
93	BRS	48	340/815.4.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
94	BRS	14	362/507.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
95	BRS	24	362/464.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
96	BRS	15	362/540.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB